

**Technical Data Sheet** 

BetteRcel™ PP-3

# **Product Description**

BetteRcel<sup>TM</sup> PP-3 is PP fiber with length of 3 mm, which is monofilament material manufactured by using polypropylene as main raw material in specially designed process. (CAS No.: 9003-07-0)

# **Application**

BetteRcel<sup>TM</sup> PP-3 was designed for skim coat, plaster, etc. The product can decline the brittleness of structure effectively by improving the continuity and uniformity and reduce the micro cracks obviously during shrinkage.

# **Typical Properties**

Linear Density (Dtex)	<u>6.0-18.5</u>
Tensile Strength(Mpa)	<b>≥300</b>
Elongation At Break(%)	10-30
Melting Point (°C)	165-175
Moisture(%)	<u>≤6</u>
Length of fiber	3 mm

# **Advantages**

- **©** Good dispersibility
- **O** Avoiding micro cracks
- **©** Less corrosion
- O Higher long term stability
- **O** Anti-seepage

# Packaging and Storage

BetteRcel<sup>TM</sup> PP-3 is packed in polywoven bag with polyethylene inner packets, 1KG per packet, 20 packets. Total net weight 20 KG.

Store in a cool, dry place.For more information, please see MSDS.

Beren Chemical Co., Ltd www.bettercel.cn